

Compiling '/www/server/panel/pyenv/lib/python3.7/unittest/util.py'...  
Listing '/www/server/panel/pyenv/lib/python3.7/urllib'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/urllib/\_\_init\_\_.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/urllib/error.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/urllib/parse.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/urllib/request.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/urllib/response.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/urllib/robotparser.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/uu.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/uuid.py'...  
Listing '/www/server/panel/pyenv/lib/python3.7/venv'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/venv/\_\_init\_\_.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/venv/\_main\_.py'...  
Listing '/www/server/panel/pyenv/lib/python3.7/venv/scripts'...  
Listing '/www/server/panel/pyenv/lib/python3.7/venv/scripts/common'...  
Listing '/www/server/panel/pyenv/lib/python3.7/venv/scripts posix'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/warnings.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/wave.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/weakref.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/webbrowser.py'...  
Listing '/www/server/panel/pyenv/lib/python3.7/wsgiref'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/wsgiref/\_\_init\_\_.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/wsgiref/handlers.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/wsgiref/headers.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/wsgiref/simple\_server.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/wsgiref/util.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/wsgiref/validate.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xdrlib.py'...  
Listing '/www/server/panel/pyenv/lib/python3.7/xml'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/\_\_init\_\_.py'...  
Listing '/www/server/panel/pyenv/lib/python3.7/xml/dom'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/dom/NodeFilter.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/dom/\_\_init\_\_.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/dom/domreg.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/dom/expatbuilder.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/dom/minicompat.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/dom/minidom.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/dom/pulldom.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/dom/xmlbuilder.py'...  
Listing '/www/server/panel/pyenv/lib/python3.7/xml/etree'...  
Compiling  
'/www/server/panel/pyenv/lib/python3.7/xml/etree/ElementInclude.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/etree/ElementPath.py'...  
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/etree/ElementTree.py'...

```
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/etree/_init_.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/etree/cElementTree.py'...
Listing '/www/server/panel/pyenv/lib/python3.7/xml/parsers'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/parsers/_init_.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/parsers/expat.py'...
Listing '/www/server/panel/pyenv/lib/python3.7/xml/sax'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/sax/_init_.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/sax/_exceptions.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/sax/expatreader.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/sax/handler.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/sax/saxutils.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xml/sax/xmlreader.py'...
Listing '/www/server/panel/pyenv/lib/python3.7/xmlrpc'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xmlrpc/_init_.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xmlrpc/client.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/xmlrpc/server.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/zipapp.py'...
Compiling '/www/server/panel/pyenv/lib/python3.7/zipfile.py'...
PYTHONPATH=/www/server/panel/pyenv/lib/python3.7 \
    ./python -E -Wi /www/server/panel/pyenv/lib/python3.7/compileall.py \
        -d /www/server/panel/pyenv/lib/python3.7/site-packages -f \
        -x badsyntax /www/server/panel/pyenv/lib/python3.7/site-packages
Listing '/www/server/panel/pyenv/lib/python3.7/site-packages'...
PYTHONPATH=/www/server/panel/pyenv/lib/python3.7 \
    ./python -E -Wi -O
/www/server/panel/pyenv/lib/python3.7/compileall.py \
    -d /www/server/panel/pyenv/lib/python3.7/site-packages -f \
    -x badsyntax /www/server/panel/pyenv/lib/python3.7/site-packages
Listing '/www/server/panel/pyenv/lib/python3.7/site-packages'...
PYTHONPATH=/www/server/panel/pyenv/lib/python3.7 \
    ./python -E -Wi -OO
/www/server/panel/pyenv/lib/python3.7/compileall.py \
    -d /www/server/panel/pyenv/lib/python3.7/site-packages -f \
    -x badsyntax /www/server/panel/pyenv/lib/python3.7/site-packages
Listing '/www/server/panel/pyenv/lib/python3.7/site-packages'...
PYTHONPATH=/www/server/panel/pyenv/lib/python3.7 \
    ./python -E -m lib2to3.pgen2.driver
/www/server/panel/pyenv/lib/python3.7/lib2to3/Grammar.txt
Generating grammar tables from
/www/server/panel/pyenv/lib/python3.7/lib2to3/Grammar.txt
Writing grammar tables to
/www/server/panel/pyenv/lib/python3.7/lib2to3/Grammar3.7.8.final.0.pickle
PYTHONPATH=/www/server/panel/pyenv/lib/python3.7 \
    ./python -E -m lib2to3.pgen2.driver
```

```
/www/server/panel/pyenv/lib/python3.7/lib2to3/PatternGrammar.txt
Generating grammar tables from
/www/server/panel/pyenv/lib/python3.7/lib2to3/PatternGrammar.txt
Writing grammar tables to
/www/server/panel/pyenv/lib/python3.7/lib2to3/PatternGrammar3.7.8.final.0.pickle
Creating directory /www/server/panel/pyenv/include
Creating directory /www/server/panel/pyenv/include/python3.7m
Creating directory /www/server/panel/pyenv/include/python3.7m/internal
/bin/install -c -m 644 ./Include/abstract.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/accu.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/asdl.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/ast.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/bitset.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/bltinmodule.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/boolobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/bytearrayobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/bytes_methods.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/bytesobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/cellobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/ceval.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/classobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/codecs.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/code.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/compile.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/complexobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/context.h
/www/server/panel/pyenv/include/python3.7m
```

```
/bin/install -c -m 644 ./Include/datetime.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/descrobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/dictobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/dtoa.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/dynamic_annotations.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/enumobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/errcode.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/eval.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/fileobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/fileutils.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/floatobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/frameobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/funcobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/genobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/graminit.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/grammar.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/import.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/intrcheck.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/iterobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/listobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/longintrepr.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/longobject.h  
/www/server/panel/pyenv/include/python3.7m
```

```
/bin/install -c -m 644 ./Include/marshal.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/memoryobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/metagrammar.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/methodobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/modsupport.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/moduleobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/namespaceobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/node.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/object.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/objimpl.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/odictobject.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/opcode.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/osdefs.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/osmodule.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/parsetok.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/patchlevel.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/pgen.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/pgenheaders.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/pyarena.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/pyatomic.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/pycapsule.h
/www/server/panel/pyenv/include/python3.7m
/bin/install -c -m 644 ./Include/pyctype.h
/www/server/panel/pyenv/include/python3.7m
```

```
/bin/install -c -m 644 ./Include/py_curses.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pydebug.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pydtrace.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pyerrors.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pyexpat.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pyfpe.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pyhash.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pylifecycle.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pymacconfig.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pymacro.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pymath.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pymem.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pyport.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pystate.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pystrcmp.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pystrhex.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pystrtod.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/Python-ast.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/Python.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pythonrun.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pythread.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/pytime.h  
/www/server/panel/pyenv/include/python3.7m
```

```
/bin/install -c -m 644 ./Include/rangeobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/setobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/sliceobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/structmember.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/structseq.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/symtable.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/sysmodule.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/token.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/traceback.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/tupleobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/typeslots.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/ucnhash.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/unicodeobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/warnings.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/weakrefobject.h  
/www/server/panel/pyenv/include/python3.7m  
/bin/install -c -m 644 ./Include/internal/ceval.h  
/www/server/panel/pyenv/include/python3.7m/internal  
/bin/install -c -m 644 ./Include/internal/condvar.h  
/www/server/panel/pyenv/include/python3.7m/internal  
/bin/install -c -m 644 ./Include/internal/context.h  
/www/server/panel/pyenv/include/python3.7m/internal  
/bin/install -c -m 644 ./Include/internal/gil.h  
/www/server/panel/pyenv/include/python3.7m/internal  
/bin/install -c -m 644 ./Include/internal/hamt.h  
/www/server/panel/pyenv/include/python3.7m/internal  
/bin/install -c -m 644 ./Include/internal/hash.h  
/www/server/panel/pyenv/include/python3.7m/internal  
/bin/install -c -m 644 ./Include/internal/import.h  
/www/server/panel/pyenv/include/python3.7m/internal
```

```
/bin/install -c -m 644 ./Include/internal/mem.h
/www/server/panel/pyenv/include/python3.7m/internal
/bin/install -c -m 644 ./Include/internal/pygetopt.h
/www/server/panel/pyenv/include/python3.7m/internal
/bin/install -c -m 644 ./Include/internal/pystate.h
/www/server/panel/pyenv/include/python3.7m/internal
/bin/install -c -m 644 ./Include/internal/warnings.h
/www/server/panel/pyenv/include/python3.7m/internal
/bin/install -c -m 644 pyconfig.h
/www/server/panel/pyenv/include/python3.7m/pyconfig.h
Creating directory
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu
Creating directory /www/server/panel/pyenv/lib/pkgconfig
/bin/install -c -m 644 Modules/config.c
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/config.c
/bin/install -c -m 644 Programs/python.o
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/python.o
/bin/install -c -m 644 ./Modules/config.c.in
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/config.c.in
/bin/install -c -m 644 Makefile
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/Makefile
/bin/install -c -m 644 Modules/Setup
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/Setup
/bin/install -c -m 644 Modules/Setup.local
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/Setup.local
/bin/install -c -m 644 Misc/python.pc
/www/server/panel/pyenv/lib/pkgconfig/python-3.7.pc
/bin/install -c ./Modules/makesetup
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/makesetup
/bin/install -c ./install-sh
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/install-sh
/bin/install -c python-config.py
/www/server/panel/pyenv/lib/python3.7/config-3.7m-x86_64-linux-gnu/python-co
nfig.py
/bin/install -c python-config /www/server/panel/pyenv/bin/python3.7m-config
./python -E ./setup.py install \
    --prefix=/www/server/panel/pyenv \
    --install-scripts=/www/server/panel/pyenv/bin \
    --install-platlib=/www/server/panel/pyenv/lib/python3.7/lib-dynload \
    --root=/
running install
running build
running build_ext
```

Python build finished successfully!

The necessary bits to build these optional modules were not found:

\_dbm           \_gdbm           \_uuid  
nis

To find the necessary bits, look in setup.py in detect\_modules() for the module's name.

The following modules found by detect\_modules() in setup.py, have been built by the Makefile instead, as configured by the Setup files:

\_abc           atexit           pwd  
time

```
running build_scripts
copying and adjusting /www/Python-3.7.8/Tools/scripts/pydoc3 ->
build/scripts-3.7
copying and adjusting /www/Python-3.7.8/Tools/scripts/idle3 -> build/scripts-3.7
copying and adjusting /www/Python-3.7.8/Tools/scripts/2to3 -> build/scripts-3.7
copying and adjusting /www/Python-3.7.8/Tools/scripts/pyvenv ->
build/scripts-3.7
changing mode of build/scripts-3.7/pydoc3 from 644 to 755
changing mode of build/scripts-3.7/idle3 from 644 to 755
changing mode of build/scripts-3.7/2to3 from 644 to 755
changing mode of build/scripts-3.7/pyvenv from 644 to 755
renaming build/scripts-3.7/pydoc3 to build/scripts-3.7/pydoc3.7
renaming build/scripts-3.7/idle3 to build/scripts-3.7/idle3.7
renaming build/scripts-3.7/2to3 to build/scripts-3.7/2to3-3.7
renaming build/scripts-3.7/pyvenv to build/scripts-3.7/pyvenv-3.7
running install_lib
creating /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_sysconfigdata_m_linux_x86_64-linux-gnu.py ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
creating /www/server/panel/pyenv/lib/python3.7/lib-dynload/_pycache_
copying
build/lib.linux-x86_64-3.7/_pycache_/_sysconfigdata_m_linux_x86_64-linux-gnu.cp
ython-37.pyc -> /www/server/panel/pyenv/lib/python3.7/lib-dynload/_pycache_/
copying build/lib.linux-x86_64-3.7/_struct.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_ctypes_test.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/array.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_contextvars.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
```

```
copying build/lib.linux-x86_64-3.7/cmath.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/math.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_datetime.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_random.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_bisect.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_heapq.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_pickle.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_json.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_testcapi.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_testbuffer.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying
build/lib.linux-x86_64-3.7/_testimportmultiple.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying
build/lib.linux-x86_64-3.7/_testmultiphase.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_lsprof.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/unicodedata.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_opcode.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_asyncio.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_queue.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/fcntl.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/grp.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/spwd.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/select.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
```

```
copying build/lib.linux-x86_64-3.7/parser.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/mmap.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/syslog.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_xxtestfuzz.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/audioop.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/readline.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_crypt.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_csv.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying
build/lib.linux-x86_64-3.7/_posixsubprocess.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_socket.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_ssl.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_hashlib.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_sha256.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_sha512.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_md5.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_sha1.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_blake2.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_sha3.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_sqlite3.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/termios.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/resource.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_curses.cpython-37m-x86_64-linux-gnu.so ->
```

```
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_curses_panel.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/zlib.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/binascii.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_bz2.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_lzma.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_pyexpat.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_elementtree.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying
build/lib.linux-x86_64-3.7/_multibytecodec.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_codecs_kr.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_codecs_jp.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_codecs_cn.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_codecs_tw.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_codecs_hk.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying
build/lib.linux-x86_64-3.7/_codecs_iso2022.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_decimal.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying
build/lib.linux-x86_64-3.7/_multiprocessing.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_ossaudiodev.cpython-37m-x86_64-linux-gnu.so
-> /www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_tkinter.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_xxlimited.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
copying build/lib.linux-x86_64-3.7/_ctypes.cpython-37m-x86_64-linux-gnu.so ->
/www/server/panel/pyenv/lib/python3.7/lib-dynload
```

changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_sysconfigdata\_m\_linux\_x86\_64-linux-gnu.py to 644  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_pycache\_\_/\_sysconfigdata\_m\_linux\_x86\_64-linux-gnu.cpython-37.pyc to 644  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_struct.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_ctypes\_test.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/array.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_contextvars.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/cmath.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/math.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_datetime.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_random.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_bisect.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_heapq.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_pickle.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_json.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_testcapi.cpython-37m-x86\_6

4-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_testbuffer.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_testimportmultiple.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_testmultiphase.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_lsprof.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/unicodedata.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_opcode.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_asyncio.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_queue.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/fcntl.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/grp.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/spwd.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/select.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/parser.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/mmap.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of

/www/server/panel/pyenv/lib/python3.7/lib-dynload/syslog.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_xxtestfuzz.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/audioop.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/readline.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_crypt.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_csv.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_posixsubprocess.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_socket.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_ssl.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_hashlib.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_sha256.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_sha512.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_md5.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_sha1.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_blake2.cpython-37m-x86\_64-linux-gnu.so to 755

changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_sha3.cpython-37m-x86\_64-li  
nux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_sqlite3.cpython-37m-x86\_64  
-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/termios.cpython-37m-x86\_64  
-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/resource.cpython-37m-x86\_6  
4-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_curses.cpython-37m-x86\_64-  
linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_curses\_panel.cpython-37m-x  
86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/zlib.cpython-37m-x86\_64-lin  
u-x-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/binascii.cpython-37m-x86\_64  
-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_bz2.cpython-37m-x86\_64-lin  
ux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_lzma.cpython-37m-x86\_64-li  
nux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/pyexpat.cpython-37m-x86\_64  
-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_elementtree.cpython-37m-x  
86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_multibytecodec.cpython-37  
m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_codecs\_kr.cpython-37m-x86\_  
64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_codecs\_jp.cpython-37m-x86\_

64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_codecs\_cn.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_codecs\_tw.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_codecs\_hk.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_codecs\_iso2022.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_decimal.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_multiprocessing.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/ossaudiodev.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_tkinter.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/xxlimited.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_ctypes.cpython-37m-x86\_64-linux-gnu.so to 755  
changing mode of /www/server/panel/pyenv/lib/python3.7/lib-dynload/ to 755  
changing mode of  
/www/server/panel/pyenv/lib/python3.7/lib-dynload/\_pycache\_ to 755  
running install\_scripts  
copying build/scripts-3.7/pydoc3.7 -> /www/server/panel/pyenv/bin  
copying build/scripts-3.7/idle3.7 -> /www/server/panel/pyenv/bin  
copying build/scripts-3.7/2to3-3.7 -> /www/server/panel/pyenv/bin  
copying build/scripts-3.7/pyvenv-3.7 -> /www/server/panel/pyenv/bin  
changing mode of /www/server/panel/pyenv/bin/pydoc3.7 to 755  
changing mode of /www/server/panel/pyenv/bin/idle3.7 to 755  
changing mode of /www/server/panel/pyenv/bin/2to3-3.7 to 755  
changing mode of /www/server/panel/pyenv/bin/pyvenv-3.7 to 755  
rm

```
/www/server/panel/pyenv/lib/python3.7/lib-dynload/_sysconfigdata_m_linux_x86_6
4-linux-gnu.py
rm -r /www/server/panel/pyenv/lib/python3.7/lib-dynload/__pycache__
Creating directory /www/server/panel/pyenv/share/man
Creating directory /www/server/panel/pyenv/share/man/man1
/bin/install -c -m 644 ./Misc/python.man \
    /www/server/panel/pyenv/share/man/man1/python3.7.1
if test ! -d /www/server/panel/pyenv/lib/pkgconfig; then \
    echo "Creating directory /www/server/panel/pyenv/lib/pkgconfig"; \
    /bin/install -c -d -m 755 /www/server/panel/pyenv/lib/pkgconfig; \
fi
if test -f /www/server/panel/pyenv/bin/python3 -o -h
/www/server/panel/pyenv/bin/python3; \
then rm -f /www/server/panel/pyenv/bin/python3; \
else true; \
fi
(cd /www/server/panel/pyenv/bin; ln -s python3.7 python3)
if test "3.7" != "3.7m"; then \
    rm -f /www/server/panel/pyenv/bin/python3.7-config; \
    (cd /www/server/panel/pyenv/bin; ln -s python3.7m-config
python3.7-config); \
    rm -f /www/server/panel/pyenv/lib/pkgconfig/python-3.7m.pc; \
    (cd /www/server/panel/pyenv/lib/pkgconfig; ln -s python-3.7.pc
python-3.7m.pc); \
fi
rm -f /www/server/panel/pyenv/bin/python3-config
(cd /www/server/panel/pyenv/bin; ln -s python3.7-config python3-config)
rm -f /www/server/panel/pyenv/lib/pkgconfig/python3.pc
(cd /www/server/panel/pyenv/lib/pkgconfig; ln -s python-3.7.pc python3.pc)
rm -f /www/server/panel/pyenv/bin/idle3
(cd /www/server/panel/pyenv/bin; ln -s idle3.7 idle3)
rm -f /www/server/panel/pyenv/bin/pydoc3
(cd /www/server/panel/pyenv/bin; ln -s pydoc3.7 pydoc3)
rm -f /www/server/panel/pyenv/bin/2to3
(cd /www/server/panel/pyenv/bin; ln -s 2to3-3.7 2to3)
rm -f /www/server/panel/pyenv/bin/pyvenv
(cd /www/server/panel/pyenv/bin; ln -s pyvenv-3.7 pyvenv)
if test "x" != "x" ; then \
    rm -f /www/server/panel/pyenv/bin/python3-32; \
    (cd /www/server/panel/pyenv/bin; ln -s python3.7-32 python3-32) \
fi
rm -f /www/server/panel/pyenv/share/man/man1/python3.1
(cd /www/server/panel/pyenv/share/man/man1; ln -s python3.7.1 python3.1)
if test "xupgrade" != "xno" ; then \
```

```
        case upgrade in \
            upgrade) ensurepip="--upgrade" ;; \
            install|*) ensurepip="" ;; \
        esac; \
    ./python -E -m ensurepip \
        $ensurepip --root=/ ; \
fi
```

Looking in links: /tmp/tmpuumv9wem

Processing /tmp/tmpuumv9wem/setuptools-47.1.0-py3-none-any.whl

Processing /tmp/tmpuumv9wem/pip-20.1.1-py2.py3-none-any.whl

Installing collected packages: setuptools, pip

WARNING: The script easy\_install-3.7 is installed in  
'/www/server/panel/pyenv/bin' which is not on PATH.

Consider adding this directory to PATH or, if you prefer to suppress this warning,  
use --no-warn-script-location.

NOTE: The current PATH contains path(s) starting with `~`, which may not be  
expanded by all applications.

WARNING: The scripts pip3 and pip3.7 are installed in  
'/www/server/panel/pyenv/bin' which is not on PATH.

Consider adding this directory to PATH or, if you prefer to suppress this warning,  
use --no-warn-script-location.

NOTE: The current PATH contains path(s) starting with `~`, which may not be  
expanded by all applications.

Successfully installed pip-20.1.1 setuptools-47.1.0

--2022-04-05 20:52:31-- http://128.1.164.196/install/pyenv/activate.panel

Connecting to 128.1.164.196:80... connected.

HTTP request sent, awaiting response... 200 OK

Length: 2212 (2.2K) [application/octet-stream]

Saving to: '/www/server/panel/pyenv/bin/activate'

/www/server/panel/pyenv/bin/activate

100%[=====] 2.16K --.-KB/s in 0s

=====

2022-04-05 20:52:32 (90.9 MB/s) - '/www/server/panel/pyenv/bin/activate'

saved [2212/2212]

--2022-04-05 20:52:32-- http://128.1.164.196/install/pyenv/pip-3.7.8.txt

Connecting to 128.1.164.196:80... connected.

HTTP request sent, awaiting response... 200 OK

Length: 1691 (1.7K) [text/plain]

Saving to: '/www/server/panel/pyenv/pip.txt'

/www/server/panel/pyenv/pip.txt

100%[=====>] 1.65K --.-KB/s in 0s

2022-04-05 20:52:32 (76.1 MB/s) - '/www/server/panel/pyenv/pip.txt' saved [1691/1691]

Looking in indexes: https://pypi.doubanio.com/simple

Collecting pip

  Downloading

https://pypi.doubanio.com/packages/4d/16/0a14ca596f30316efd412a60bdfac02a7259bf8673d4d917dc60b9a21812/pip-22.0.4-py3-none-any.whl (2.1 MB)

  |????????????????????????????| 2.1 MB 2.4 MB/s

Installing collected packages: pip

  Attempting uninstall: pip

    Found existing installation: pip 20.1.1

    Uninstalling pip-20.1.1:

      Successfully uninstalled pip-20.1.1

Successfully installed pip-22.0.4

Looking in indexes: https://pypi.doubanio.com/simple

Requirement already satisfied: setuptools in

/www/server/panel/pyenv/lib/python3.7/site-packages (47.1.0)

Collecting setuptools

  Downloading

https://pypi.doubanio.com/packages/0c/3c/548d361162702df85a0301f0cd0c47d05176b20bb086077a0fd740daf41/setuptools-62.0.0-py3-none-any.whl (1.1 MB)

  |————— 1.1/1.1 MB 4.6 MB/s eta

0:00:00

Installing collected packages: setuptools

  Attempting uninstall: setuptools

    Found existing installation: setuptools 47.1.0

    Uninstalling setuptools-47.1.0:

      Successfully uninstalled setuptools-47.1.0

Successfully installed setuptools-62.0.0

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: https://pip.pypa.io/warnings/venv

Looking in indexes: https://pypi.doubanio.com/simple

Collecting wheel==0.34.2

  Downloading

https://pypi.doubanio.com/packages/8c/23/848298cccf8e40f5bbb59009b32848a4c38f4e7f3364297ab3c3e2e2cd14/wheel-0.34.2-py2.py3-none-any.whl (26 kB)

Installing collected packages: wheel

  Successfully installed wheel-0.34.2

WARNING: Running pip as the 'root' user can result in broken permissions and

```
conflicting behaviour with the system package manager. It is recommended to use
a virtual environment instead: https://pip.pypa.io/warnings/venv
Looking in indexes: https://pypi.doubanio.com/simple
Collecting aliyun-python-sdk-core==2.13.35
    Downloading
      https://pypi.doubanio.com/packages/39/f4/9ee9c0d081ba6afacc4037e2d7c67156
      8cbd93c7398743e3fe42662ede8/aliyun-python-sdk-core-2.13.35.tar.gz (440 kB)
      ━━━━━━━━━━━━━━━━━━ 440.5/440.5 KB 1.5 MB/s eta
0:00:00
    Preparing metadata (setup.py) ... done
Collecting aliyun-python-sdk-core-v3==2.13.32
    Downloading
      https://pypi.doubanio.com/packages/53/7b/e7831f6c025b41c17df5c6a9dd63b696
      7c68ac743ce2f28e76d280c95ab7/aliyun-python-sdk-core-v3-2.13.32.tar.gz (440 kB)
      ━━━━━━━━━━━━ 440.8/440.8 KB 1.6 MB/s eta
0:00:00
    Preparing metadata (setup.py) ... done
Collecting aliyun-python-sdk-kms==2.15.0
    Downloading
      https://pypi.doubanio.com/packages/c9/12/e3d05db24485759380582dbd8ad86eef
      0be762ae54a6ff8bf3ec1bf2c9bf/aliyun_python_sdk_kms-2.15.0-py2.py3-none-any.
      whl (71 kB)
      ━━━━━━━━━ 71.5/71.5 KB 888.7 kB/s eta
0:00:00
Collecting bcrypt==3.1.7
    Downloading
      https://pypi.doubanio.com/packages/8b/1d/82826443777dd4a624e38a08957b975
      e75df859b381ae302cf7a30783ed/bcrypt-3.1.7-cp34-abi3-manylinux1_x86_64.whl
      (56 kB)
      ━━━━━━━ 56.1/56.1 KB 697.2 kB/s eta
0:00:00
Collecting beautifulsoup4==4.8.2
    Downloading
      https://pypi.doubanio.com/packages/cb/a1/c698cf319e9cfed6b17376281bd0efc6b
      fc8465698f54170ef60a485ab5d/beautifulsoup4-4.8.2-py3-none-any.whl (106 kB)
      ━━━━━━━ 106.9/106.9 KB 1.0 MB/s eta
0:00:00
Collecting cachetools==4.0.0
    Downloading
      https://pypi.doubanio.com/packages/08/6a/abf83cb951617793fd49c98cb9456860f
      5df66ff89883c8660aa0672d425/cachetools-4.0.0-py3-none-any.whl (10 kB)
Collecting certifi==2019.11.28
    Downloading
      https://pypi.doubanio.com/packages/b9/63/df50cac98ea0d5b006c55a399c3bf1db
```

9da7b5a24de7890bc9cf5dd9e99/certifi-2019.11.28-py2.py3-none-any.whl (156 kB) ━━━━━━━━━━━━ 156.0/156.0 KB 1.4 MB/s eta 0:00:00  
Collecting cffi==1.15.0  
  Downloading https://pypi.doubanio.com/packages/44/6b/5edf93698ef1dc745774e47e26f5995040dd3604562dd63f5959fc3a49e/cffi-1.15.0-cp37-cp37m-manylinux\_2\_12\_x86\_64.manylinux2010\_x86\_64.whl (427 kB) ━━━━━━━━━━━━ 427.1/427.1 KB 1.9 MB/s eta 0:00:00  
Collecting chardet==3.0.4  
  Downloading https://pypi.doubanio.com/packages/bc/a9/01ffebfb562e4274b6487b4bb1ddec7ca55ec7510b22e4c51f14098443b8/chardet-3.0.4-py2.py3-none-any.whl (133 kB) ━━━━━━━━━━━━ 133.4/133.4 KB 2.4 MB/s eta 0:00:00  
Collecting Click==7.1.2  
  Downloading https://pypi.doubanio.com/packages/d2/3d/fa76db83bf75c4f8d338c2fd15c8d33fd7ad23a9b5e57eb6c5de26b430e/click-7.1.2-py2.py3-none-any.whl (82 kB) ━━━━━━━━━━━━ 82.8/82.8 KB 1.1 MB/s eta 0:00:00  
Collecting configobj==5.0.6  
  Downloading https://pypi.doubanio.com/packages/64/61/079eb60459c44929e684fa7d9e2fdca403f67d64dd9dbac27296be2e0fab/configobj-5.0.6.tar.gz (33 kB)  
    Preparing metadata (setup.py) ... done  
Collecting configparser==4.0.2  
  Downloading https://pypi.doubanio.com/packages/7a/2a/95ed0501cf5d8709490b1d3a3f9b5cf340da6c433f896bbe9ce08dbe6785/configparser-4.0.2-py2.py3-none-any.whl (22 kB)  
Collecting cos-python-sdk-v5==1.9.14  
  Downloading https://pypi.doubanio.com/packages/b9/63/a94fde49d2aaefe5ba4958390a9b9ea59795a9694672b69e6470cecaf9/cos\_python\_sdk\_v5-1.9.14-py3-none-any.whl (58 kB) ━━━━━━━━━━━━ 59.0/59.0 KB 1.3 MB/s eta 0:00:00  
Collecting crcmod==1.7  
  Downloading https://pypi.doubanio.com/packages/6b/b0/e595ce2a2527e169c3bcd6c33d2473c1918e0b7f6826a043ca1245dd4e5b/crcmod-1.7.tar.gz (89 kB) ━━━━━━━━━━━━ 89.7/89.7 KB 1.2 MB/s eta

```
0:00:00
Preparing metadata (setup.py) ... done
Collecting cryptography==36.0.1
    Downloading
    https://pypi.doubanio.com/packages/d8/0c/c0f8790bdeff9813722811500fd735c40
    a6c50fe0b4f8f6f4444f7a49cc0/cryptography-36.0.1-cp36-abi3-manylinux_2_24_x86_
    _64.whl (3.6 MB)
    ━━━━━━━━━━━━━━━━━━━━━━━━ 3.6/3.6 MB 3.6 MB/s eta
0:00:00
Collecting Cython==0.29.26
    Downloading
    https://pypi.doubanio.com/packages/ef/20/bc9125a6f7edce8786c548b7bb081cfe4
    60fa6a291610c725333af77fed0/Cython-0.29.26-cp37-cp37m-manylinux_2_17_x86_
    _64.manylinux2014_x86_64.manylinux_2_24_x86_64.whl (1.9 MB)
    ━━━━━━━━━━━━━━━ 1.9/1.9 MB 3.3 MB/s eta
0:00:00
Collecting decorator==4.4.1
    Downloading
    https://pypi.doubanio.com/packages/8f/b7/f329cfdc75f3d28d12c65980e4469e2fa3
    73f1953f5df6e370e84ea2e875/decorator-4.4.1-py2.py3-none-any.whl (9.2 kB)
Collecting dicttoxml==1.7.4
    Downloading
    https://pypi.doubanio.com/packages/74/36/534db111db9e7610a41641a1f6669a96
    4aacaf51858f466de264cc8dcdd9/dicttoxml-1.7.4.tar.gz (18 kB)
    Preparing metadata (setup.py) ... done
Collecting dnspython==1.16.0
    Downloading
    https://pypi.doubanio.com/packages/ec/d3/3aa0e7213ef72b8585747aa0e271a952
    3e713813b9a20177ebe1e939deb0/dnspython-1.16.0-py2.py3-none-any.whl (188
    kB)
    ━━━━━━━━━━━━━━━ 188.4/188.4 KB 3.7 MB/s eta
0:00:00
Collecting docker==4.2.0
    Downloading
    https://pypi.doubanio.com/packages/58/74/379a9d30b1620def158c40b88c43e01c
    1936a287ebb97afab0699c601c57/docker-4.2.0-py2.py3-none-any.whl (143 kB)
    ━━━━━━━━━━━━━ 143.9/143.9 KB 1.1 MB/s eta
0:00:00
Collecting enum34==1.1.9
    Downloading
    https://pypi.doubanio.com/packages/df/6e/46a0304561a07bda942c4283b67228d5
    b87d1ebd1189c866ede4b4cd6a0a/enum34-1.1.9-py3-none-any.whl (11 kB)
Collecting Flask==1.1.4
    Downloading
```

```
https://pypi.doubanio.com/packages/e8/6d/994208daa354f68fd89a34a8bafbeab2  
6fda84e7af1e35bdaed02b667e6/Flask-1.1.4-py2.py3-none-any.whl (94 kB)  
----- 94.6/94.6 KB 1.4 MB/s eta  
0:00:00  
Collecting Flask-Session==0.4.0  
    Downloading  
https://pypi.doubanio.com/packages/83/ae/13f06537405f8e04868f578295fa94bd4  
6f0c1764431417a4059e2b54c91/Flask_Session-0.4.0-py2.py3-none-any.whl (7.5 kB)  
Collecting Flask-SQLAlchemy==2.5.1  
    Downloading  
https://pypi.doubanio.com/packages/26/2c/9088b6bd95bca539230bbe9ad446737  
ed391aab9a83aff403e18dded3e75/Flask_SQLAlchemy-2.5.1-py2.py3-none-any.whl  
(17 kB)  
Collecting future==0.18.2  
    Downloading  
https://pypi.doubanio.com/packages/45/0b/38b06fd9b92dc2b68d58b75f900e9788  
4c45bedd2ff83203d933cf5851c9/future-0.18.2.tar.gz (829 kB)  
----- 829.2/829.2 KB 3.3 MB/s eta  
0:00:00  
Preparing metadata (setup.py) ... done  
Collecting gevent==21.12.0  
    Downloading  
https://pypi.doubanio.com/packages/c8/0a/607129ea9ffb024019422b2af055de9af  
d08f1c78f5a0ff590b83bc85f58/gevent-21.12.0-cp37-cp37m-manylinux_2_12_x86_6  
4.manylinux2010_x86_64.whl (5.8 MB)  
----- 5.8/5.8 MB 2.9 MB/s eta  
0:00:00  
Collecting gevent-websocket==0.10.1  
    Downloading  
https://pypi.doubanio.com/packages/7b/84/2dc373eb6493e00c884cc11e6c059ec9  
7abae2678d42f06bf780570b0193/gevent_websocket-0.10.1-py3-none-any.whl (22 kB)  
Collecting google-api-core==2.3.2  
    Downloading  
https://pypi.doubanio.com/packages/15/8b/c637e871ddcf07d7ee42ab0973a50a15  
7520f879e00392900e8b1f6fa43a/google_api_core-2.3.2-py2.py3-none-any.whl  
(109 kB)  
----- 109.8/109.8 KB 18.3 MB/s eta  
0:00:00  
Collecting google-api-python-client==2.33.0  
    Downloading  
https://pypi.doubanio.com/packages/66/e8/edabba76d451d2f82f817d72f0ccddb1  
cb8dc9dda84596a973dc2ef6f10b/google_api_python_client-2.33.0-py2.py3-none-a  
ny.whl (7.9 MB)
```

----- 7.9/7.9 MB 4.0 MB/s eta  
0:00:00  
Collecting google-auth==2.3.3  
  Downloading  
  https://pypi.doubanio.com/packages/6a/f7/06cbd5ebfba40a9d51df6217f9325317d  
824234400454aebcf014e2eee38/google\_auth-2.3.3-py2.py3-none-any.whl (155 kB)  
----- 155.5/155.5 KB 1.2 MB/s eta  
0:00:00  
Collecting google-auth-httplib2==0.1.0  
  Downloading  
  https://pypi.doubanio.com/packages/ba/db/721e2f3f32339080153995d16e46edc3  
a7657251f167ddcb9327e632783b/google\_auth\_httplib2-0.1.0-py2.py3-none-any.w  
hl (9.3 kB)  
Collecting google-auth-oauthlib==0.4.6  
  Downloading  
  https://pypi.doubanio.com/packages/b1/0e/0636cc1448a7abc444fb1b3a63655e29  
4e0d2d49092dc3de05241be6d43c/google\_auth\_oauthlib-0.4.6-py2.py3-none-any.  
whl (18 kB)  
Collecting google-cloud-core==2.2.1  
  Downloading  
  https://pypi.doubanio.com/packages/9d/ea/b051b33ee2cdd1b367ffd5a983653f88  
87552cafb0df5fa82fc3fdc8b73d/google\_cloud\_core-2.2.1-py2.py3-none-any.whl  
(29 kB)  
Collecting google-cloud-storage==1.43.0  
  Downloading  
  https://pypi.doubanio.com/packages/c6/53/3a32d9aa3b56c94ec0760c3dc4ac00ae  
edd6938d3b99385fef0e47bebff/google\_cloud\_storage-1.43.0-py2.py3-none-any.  
whl (106 kB)  
----- 106.6/106.6 KB 1.2 MB/s eta  
0:00:00  
Collecting google-resumable-media==2.1.0  
  Downloading  
  https://pypi.doubanio.com/packages/41/03/4e62899993a5446ae07f70fac37928293  
9fe33adec9fc793a125ea29274d/google\_resumable\_media-2.1.0-py2.py3-none-any.  
whl (75 kB)  
----- 75.6/75.6 KB 1.2 MB/s eta  
0:00:00  
Collecting googleapis-common-protos==1.54.0  
  Downloading  
  https://pypi.doubanio.com/packages/5d/d2/38c15431197c137358968b5d2e17184  
832a4447d3580b03617824af71020/googleapis\_common\_protos-1.54.0-py2.py3-no  
ne-any.whl (207 kB)  
----- 208.0/208.0 KB 1.4 MB/s eta  
0:00:00

```
Collecting greenlet==1.1.2
  Downloading https://pypi.doubanio.com/packages/aa/e0/d6e21c642a477fc97aa667c64c8100fe4a63dd39e9b2dc3faafcf03bef0/greenlet-1.1.2-cp37-cp37m-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (150 kB) ━━━━━━━━━━━━━━━━ 150.2/150.2 KB 1.3 MB/s eta 0:00:00
Collecting httplib2==0.20.2
  Downloading https://pypi.doubanio.com/packages/b3/20/511741a05f8a59dc98f5ad9962efdc4f7bc1126329234e18b13f0cb3ddc4/httplib2-0.20.2-py3-none-any.whl (96 kB) ━━━━━━━━━━━━ 96.7/96.7 KB 1.3 MB/s eta 0:00:00
Collecting idna==2.8
  Downloading https://pypi.doubanio.com/packages/14/2c/cd551d81dbe15200be1cf41cd03869a46fe7226e7450af7a6545bfc474c9/idna-2.8-py2.py3-none-any.whl (58 kB) ━━━━━━━━━━ 58.6/58.6 KB 3.5 MB/s eta 0:00:00
Collecting configparser==0.5
  Downloading https://pypi.doubanio.com/packages/5f/b0/4d357324948188e76154b332e119fb28e374c1ebe4d4f6bca729aaa44309/configparser-0.5-py3-none-any.whl (24 kB)
Collecting ipaddress==1.0.23
  Downloading https://pypi.doubanio.com/packages/c2/f8/49697181b1651d8347d24c095ce46c7346c37335ddc7d255833e7cde674d/ipaddress-1.0.23-py2.py3-none-any.whl (18 kB)
Collecting IPy==1.0
  Downloading https://pypi.doubanio.com/packages/e1/66/b6dd22472bb027556849876beae2dd4dca3a4eaf2dd3039277b4edb8c6af/IPy-1.00.tar.gz (35 kB)
    Preparing metadata (setup.py) ... done
Collecting itsdangerous==1.1.0
  Downloading https://pypi.doubanio.com/packages/76/ae/44b03b253d6fade317f32c24d100b3b35c2239807046a4c953c7b89fa49e/itsdangerous-1.1.0-py2.py3-none-any.whl (16 kB)
Collecting Jinja2==2.11.3
  Downloading https://pypi.doubanio.com/packages/7e/c2/1eece8c95ddbc9b1aeb64f5783a9e07a286de42191b7204d67b7496ddf35/Jinja2-2.11.3-py2.py3-none-any.whl (125 kB) ━━━━━━━━━━ 125.7/125.7 KB 2.2 MB/s eta 0:00:00
Collecting jmespath==0.9.4
  Downloading
```

```
https://pypi.doubanio.com/packages/83/94/7179c3832a6d45b266ddb2aac329e10  
1367fbdb11f425f13771d27f225bb/jmespath-0.9.4-py2.py3-none-any.whl (24 kB)  
Collecting kitchen==1.2.6  
  Downloading  
https://pypi.doubanio.com/packages/d9/ca/3365cb1160533be8c8b57dbfd6502f36  
7d35e30935ee89a003c664740714/kitchen-1.2.6.tar.gz (255 kB)  
████████████████████████████████████████████████████████████████████████████████  
255.4/255.4 KB 2.7 MB/s eta 0:00:00  
Preparing metadata (setup.py) ... done  
Collecting MarkupSafe==1.1.1  
  Downloading  
https://pypi.doubanio.com/packages/c2/37/2e4def8ce3739a258998215df907f5815  
ecd1af71e62147f5eea2d12d4e8/MarkupSafe-1.1.1-cp37-cp37m-manylinux2010_x8  
6_64.whl (33 kB)  
Collecting mongo==0.2.0  
  Downloading  
https://pypi.doubanio.com/packages/30/06/3b87f3487c7c9c6a2ae9994c81f4fda82  
446b3b296c7f35b0b7824708fc4/mongo-0.2.0.tar.gz (4.6 kB)  
  Preparing metadata (setup.py) ... done  
Collecting oauthlib==3.1.1  
  Downloading  
https://pypi.doubanio.com/packages/e8/5d/9dd1c29e5a786525f6342f6c1d812ed2  
e37edc653ad297048c1668988053/oauthlib-3.1.1-py2.py3-none-any.whl (146 kB)  
████████████████████████████████████████████████████████████████████████████████  
146.2/146.2 KB 1.7 MB/s eta 0:00:00  
Collecting oss2==2.15.0  
  Downloading  
https://pypi.doubanio.com/packages/16/d0/cfe6e199900a97d6e3db55e48ab525c6  
30052e49475722fd20f0f7c7b793/oss2-2.15.0.tar.gz (226 kB)  
████████████████████████████████████████████████████████████████████████████████  
226.4/226.4 KB 2.6 MB/s eta 0:00:00  
  Preparing metadata (setup.py) ... done  
Collecting paramiko==2.8.1  
  Downloading  
https://pypi.doubanio.com/packages/ba/e5/16e51472617cdcc90a4b9019543087f5  
84a73b76d501d4b165abb7893fe9/paramiko-2.8.1-py2.py3-none-any.whl (206 kB)  
████████████████████████████████████████████████████████████████████████████████  
206.6/206.6 KB 1.4 MB/s eta 0:00:00  
Collecting peewee==3.13.1  
  Downloading  
https://pypi.doubanio.com/packages/d4/30/0083f0e484902d118927236497c5f55c  
14a46c2a0e1b95083d26e5608371/peewee-3.13.1.tar.gz (843 kB)  
████████████████████████████████████████████████████████████████████████████████  
843.9/843.9 KB 2.3 MB/s eta 0:00:00
```

```
Preparing metadata (setup.py) ... done
Collecting Pillow==8.4.0
    Downloading https://pypi.doubanio.com/packages/a7/f3/c81e9c41c6ee4c99ad7436b7a1509f5bc
e5de4ccf4b83138cf88760d96ff/Pillow-8.4.0-cp37-cp37m-manylinux_2_17_x86_64.
manylinux2014_x86_64.whl (3.1 MB) ━━━━━━━━━━━━━━━━ 3.1/3.1 MB 3.9 MB/s eta
0:00:00
Collecting protobuf==3.19.1
    Downloading https://pypi.doubanio.com/packages/4a/81/1722e657aea5abf8ed5da6f9ff1c5e435
0f64be10de0a4ca6800fa30f06d/protobuf-3.19.1-cp37-cp37m-manylinux_2_17_x86_
64.manylinux2014_x86_64.whl (1.1 MB) ━━━━━━━━━━━━ 1.1/1.1 MB 2.7 MB/s eta
0:00:00
Collecting psutil==5.8.0
    Downloading https://pypi.doubanio.com/packages/84/da/f7efdcf012b51506938553dbe302aecc2
2f3f43abd5cffa8320e8e0588d5/psutil-5.8.0-cp37-cp37m-manylinux2010_x86_64.w
hl (296 kB) ━━━━━━━━━━━━ 296.3/296.3 KB 1.7 MB/s eta
0:00:00
Collecting pyasn1==0.4.8
    Downloading https://pypi.doubanio.com/packages/62/1e/a94a8d635fa3ce4fcf7f506003548d0a2
447ae76fd5ca53932970fe3053f/pyasn1-0.4.8-py2.py3-none-any.whl (77 kB) ━━━━━━ 77.1/77.1 KB 3.0 MB/s eta
0:00:00
Collecting pyasn1-modules==0.2.8
    Downloading https://pypi.doubanio.com/packages/95/de/214830a981892a3e286c3794f41ae67a
4495df1108c3da8a9f62159b9a9d/pyasn1_modules-0.2.8-py2.py3-none-any.whl
(155 kB) ━━━━━━━━━━ 155.3/155.3 KB 2.9 MB/s eta
0:00:00
Collecting pycparser==2.19
    Downloading https://pypi.doubanio.com/packages/68/9e/49196946aee219aead1290e00d1e7fde
ab8567783e83e1b9ab5585e6206a/pycparser-2.19.tar.gz (158 kB) ━━━━━━ 158.3/158.3 KB 1.2 MB/s eta
0:00:00
    Preparing metadata (setup.py) ... done
Collecting pycryptodome==3.12.0
    Downloading
```

[https://pypi.doubanio.com/packages/92/0c/176f521b9ab1dd13b7f18aef2eaec6d15dffbcfa7b36b406b43499ccf266/pycryptodome-3.12.0-cp35-abi3-manylinux2010\\_x86\\_64.whl](https://pypi.doubanio.com/packages/92/0c/176f521b9ab1dd13b7f18aef2eaec6d15dffbcfa7b36b406b43499ccf266/pycryptodome-3.12.0-cp35-abi3-manylinux2010_x86_64.whl) (2.0 MB)

2.0/2.0 MB 3.4 MB/s eta

0:00:00

Collecting Pygments==2.7.4

  Downloading

<https://pypi.doubanio.com/packages/17/e3/c7ea888bd6e9849c60b1f378637850265177ed01297137f544a7ecf7d7ba/Pygments-2.7.4-py3-none-any.whl> (950 kB)

950.1/950.1 KB 2.7 MB/s eta

0:00:00

Collecting pyinotify==0.9.6

  Downloading

<https://pypi.doubanio.com/packages/e3/c0/fd5b18dde17c1249658521f69598f3252f11d9d7a980c5be8619970646e1/pyinotify-0.9.6.tar.gz> (60 kB)

61.0/61.0 KB 1.0 MB/s eta

0:00:00

  Preparing metadata (setup.py) ... done

Collecting pymongo==3.10.1

  Downloading

[https://pypi.doubanio.com/packages/2f/e2/91a313e50adcf35182e260d65cf7ec60f6f0367abefc2fbab264e6f4544d/pymongo-3.10.1-cp37-cp37m-manylinux2014\\_x86\\_64.whl](https://pypi.doubanio.com/packages/2f/e2/91a313e50adcf35182e260d65cf7ec60f6f0367abefc2fbab264e6f4544d/pymongo-3.10.1-cp37-cp37m-manylinux2014_x86_64.whl) (462 kB)

462.5/462.5 KB 1.0 MB/s eta

0:00:00

Collecting PyMySQL==1.0.2

  Downloading

<https://pypi.doubanio.com/packages/4f/52/a115fe175028b058df353c5a3d5290b71514a83f67078a6482cff24d6137/PyMySQL-1.0.2-py3-none-any.whl> (43 kB)

43.8/43.8 KB 2.5 MB/s eta

0:00:00

Collecting PyNaCl==1.4.0

  Downloading

[https://pypi.doubanio.com/packages/9d/57/2f5e6226a674b2bcb6db531e8b383079b678df5b10cdcaa610d6cf20d77ba/PyNaCl-1.4.0-cp35-abi3-manylinux1\\_x86\\_64.whl](https://pypi.doubanio.com/packages/9d/57/2f5e6226a674b2bcb6db531e8b383079b678df5b10cdcaa610d6cf20d77ba/PyNaCl-1.4.0-cp35-abi3-manylinux1_x86_64.whl) (961 kB)

961.1/961.1 KB 2.3 MB/s eta

0:00:00

Collecting pyOpenSSL==21.0.0

  Downloading

<https://pypi.doubanio.com/packages/85/3a/fe3c98435856a1ed798977981f3da82d2685cf9df97e4d9546340d2b83db/pyOpenSSL-21.0.0-py2.py3-none-any.whl> (55 kB)

55.1/55.1 KB 2.7 MB/s eta

0:00:00

```
Collecting pyparsing==2.4.6
  Downloading https://pypi.doubanio.com/packages/5d/bc/1e58593167fade7b544bfe9502a26dc860940a79ab306e651e7f13be68c2/pyparsing-2.4.6-py2.py3-none-any.whl (67 kB)
               ━━━━━━━━━━━━━━━━ 67.7/67.7 KB 1.3 MB/s eta
0:00:00
Collecting pyPdf==1.13
  Downloading https://pypi.doubanio.com/packages/bd/22/e1df75dff7679344bcf986abd473d7c0e22ba976f2caef31551e394a3a2/pyPdf-1.13.tar.gz (35 kB)
  Preparing metadata (setup.py) ... done
Collecting PySocks==1.7.1
  Downloading https://pypi.doubanio.com/packages/8d/59/b4572118e098ac8e46e399a1dd0f2d85403ce8bbaad9ec79373ed6badaf9/PySocks-1.7.1-py3-none-any.whl (16 kB)
Collecting pytz==2019.3
  Downloading https://pypi.doubanio.com/packages/e7/f9/f0b53f88060247251bf481fa6ea62cd0d25bf1b11a87888e53ce5b7c8ad2/pytz-2019.3-py2.py3-none-any.whl (509 kB)
               ━━━━━━━━━━━━━━ 509.2/509.2 KB 3.2 MB/s eta
0:00:00
Collecting pyudev==0.22.0
  Downloading https://pypi.doubanio.com/packages/72/c8/4660d815a79b1d42c409012aaa10ebd6b07a47529b4cb6880f27a24bd646/pyudev-0.22.0.tar.gz (85 kB)
               ━━━━━━━━━━━━━━ 85.1/85.1 KB 2.2 MB/s eta
0:00:00
  Preparing metadata (setup.py) ... done
Collecting pyxattr==0.7.1
  Downloading https://pypi.doubanio.com/packages/cf/b1/7ed931d98b5a91a59b69fcc2860e5b720a22ed1ddb85268415181c9b0986/pyxattr-0.7.1.tar.gz (30 kB)
  Preparing metadata (setup.py) ... done
Collecting PyYAML==5.4
  Downloading https://pypi.doubanio.com/packages/f1/86/83ae5504903b4eca5ae1fd3c53b87b640f9c302df2c97fc08331ec7f3c8a/PyYAML-5.4-cp37-cp37m-manylinux1_x86_64.whl (636 kB)
               ━━━━━━━━━━━━━━ 636.5/636.5 KB 1.7 MB/s eta
0:00:00
Collecting qiniu==7.5.0
  Downloading https://pypi.doubanio.com/packages/8b/4f/bf68429648ce6ffa611ef80e9b2d08959d975eb52f94a3d3dd132d491c22/qiniu-7.5.0.tar.gz (28 kB)
```

```
Preparing metadata (setup.py) ... done
Collecting qrcode==7.3.1
    Downloading
https://pypi.doubanio.com/packages/94/9f/31f33cdf3cf8f98e64c42582fb82f39ca71
8264df61957f28b0bbb09b134/qrcode-7.3.1.tar.gz (43 kB)
    ━━━━━━━━━━━━━━━━ 43.5/43.5 KB 7.4 MB/s eta
0:00:00
Preparing metadata (setup.py) ... done
Collecting redis==4.0.2
    Downloading
https://pypi.doubanio.com/packages/b1/9c/838dbabd16f7dad05d3b83abad11560
a2c6cc72fe913a02fa487fc915b9d/redis-4.0.2-py3-none-any.whl (119 kB)
    ━━━━━━━━━━━━━━ 119.6/119.6 KB 1.5 MB/s eta
0:00:00
Collecting requests==2.26.0
    Downloading
https://pypi.doubanio.com/packages/92/96/144f70b972a9c0eabbd4391ef93ccd49
d0f2747f4f6a2a2738e99e5adc65/requests-2.26.0-py2.py3-none-any.whl (62 kB)
    ━━━━━━━━━━━━ 62.3/62.3 KB 2.0 MB/s eta
0:00:00
Collecting requests-file==1.5.1
    Downloading
https://pypi.doubanio.com/packages/77/86/cdb5e8eaed90796aa83a6d9f75cfbd37
af553c47a291cd47bc410ef9bdb2/requests_file-1.5.1-py2.py3-none-any.whl (3.7 kB)
Collecting requests-oauthlib==1.3.0
    Downloading
https://pypi.doubanio.com/packages/a3/12/b92740d845ab62ea4edf04d2f4164d82
532b5a0b03836d4d4e71c6f3d379/requests_oauthlib-1.3.0-py2.py3-none-any.whl
(23 kB)
Collecting rsa==4.8
    Downloading
https://pypi.doubanio.com/packages/30/ab/8fd9e88e6fa5ec41afca995938bbefb72
195278e0fc5bd76a4f29b23fb2/rsa-4.8-py3-none-any.whl (39 kB)
Collecting six==1.16.0
    Downloading
https://pypi.doubanio.com/packages/d9/5a/e7c31adbe875f2abbb91bd84cf2dc52d
792b5a01506781dbcfc25c91daf11/six-1.16.0-py2.py3-none-any.whl (11 kB)
Collecting soupsieve==1.9.5
    Downloading
https://pypi.doubanio.com/packages/81/94/03c0f04471fc245d08d0a99f7946ac228
ca98da4fa75796c507f61e688c2/soupsieve-1.9.5-py2.py3-none-any.whl (33 kB)
Collecting SQLAlchemy==1.4.28
    Downloading
https://pypi.doubanio.com/packages/4a/a6/0ed09a9da78cf32695ef31f753785bdd8
```

e0b69a89a72fbbae36efd8456fc/SQLAlchemy-1.4.28-cp37-cp37m-manylinux\_2\_5\_x86\_64.manylinux1\_x86\_64.manylinux\_2\_17\_x86\_64.manylinux2014\_x86\_64.whl (1.6 MB)

————— 1.6/1.6 MB 2.3 MB/s eta

0:00:00

Collecting supervisor==4.2.2

  Downloading

  https://pypi.doubanio.com/packages/de/c9/50b1575b46ad9802e1b8d444c1ba0db842a1006ff7c9bea9d5e0ea700f2d/supervisor-4.2.2-py2.py3-none-any.whl (743 kB)

————— 743.2/743.2 KB 2.5 MB/s eta

0:00:00

Collecting upyun==2.5.5

  Downloading

  https://pypi.doubanio.com/packages/f4/31/16ebadaf21b8396ab882a2457ffe10c664fb78adb017216d95f2dd49a100/upyun-2.5.5.tar.gz (19 kB)

  Preparing metadata (setup.py) ... done

Collecting uritemplate==3.0.1

  Downloading

  https://pypi.doubanio.com/packages/bf/0c/60d82c077998feb631608dca3cc1fe19ac074e772bf0c24cf409b977b815/uritemplate-3.0.1-py2.py3-none-any.whl (15 kB)

Collecting urlgrabber==4.1.0

  Downloading

  https://pypi.doubanio.com/packages/b1/23/61cb4d829138f24bfae2c77af6794ddd67240811dbb4e3e2eb22c4f57742/urlgrabber-4.1.0.tar.gz (85 kB)

————— 85.7/85.7 KB 1.3 MB/s eta

0:00:00

  Preparing metadata (setup.py) ... done

Collecting urllib3==1.26.7

  Downloading

  https://pypi.doubanio.com/packages/af/f4/524415c0744552cce7d8bf3669af78e8a069514405ea4fcbd0cc44733744/urllib3-1.26.7-py2.py3-none-any.whl (138 kB)

————— 138.8/138.8 KB 819.0 kB/s eta

0:00:00

Collecting websocket-client==1.2.3

  Downloading

  https://pypi.doubanio.com/packages/88/03/cd5aa2c97356b7eee484a2b63fe850076ecb82fdeda82979a234b62a9a37/websocket\_client-1.2.3-py3-none-any.whl (53 kB)

————— 53.5/53.5 KB 742.7 kB/s eta

0:00:00

Collecting Werkzeug==1.0.1

  Downloading

  https://pypi.doubanio.com/packages/cc/94/5f7079a0e00bd6863ef8f1da638721e9da21e5bacee597595b318f71d62e/Werkzeug-1.0.1-py2.py3-none-any.whl (298 kB)

----- 298.6/298.6 KB 1.7 MB/s eta  
0:00:00  
Collecting cachelib  
  Downloading  
  https://pypi.doubanio.com/packages/9e/7b/3cabf11b2976051e1dcfe8b42442fc5df  
339d63d009a0ef1b9d64efa43d6/cachelib-0.6.0-py3-none-any.whl (15 kB)  
Requirement already satisfied: setuptools in  
/www/server/panel/pyenv/lib/python3.7/site-packages (from gevent==21.12.0->-r  
/www/server/panel/pyenv/pip.txt (line 26)) (62.0.0)  
Collecting zope.event  
  Downloading  
  https://pypi.doubanio.com/packages/9e/85/b45408c64f3b888976f1d5b37eed8d74  
6b8d5729a66a49ec846fda27d371/zope.event-4.5.0-py2.py3-none-any.whl (6.8 kB)  
Collecting zope.interface  
  Downloading  
  https://pypi.doubanio.com/packages/bb/a7/94e1a92c71436f934cdd2102826fa041c  
83dcb7d21dd0f1fb1a57f6e0620/zope.interface-5.4.0-cp37-cp37m-manylinux2010\_  
x86\_64.whl (251 kB)  
----- 252.0/252.0 KB 1.3 MB/s eta  
0:00:00  
Collecting google-crc32c<2.0dev,>=1.0  
  Downloading  
  https://pypi.doubanio.com/packages/13/87/b831bdd4af0889b39f7c9c47ec0d9e05  
d3fcfd5f624e1216681378623d37e/google\_crc32c-1.3.0-cp37-cp37m-manylinux\_2\_1  
2\_x86\_64.manylinux2010\_x86\_64.whl (38 kB)  
Collecting deprecated  
  Downloading  
  https://pypi.doubanio.com/packages/51/6a/c3a0408646408f7283b7bc550c30a32cc  
791181ec4618592eec13e066ce3/Deprecated-1.2.13-py2.py3-none-any.whl (9.6 kB)  
Collecting charset-normalizer~=2.0.0  
  Downloading  
  https://pypi.doubanio.com/packages/06/b3/24afc8868eba069a7f03650ac750a7788  
62dc34941a4bebeb58706715726/charset\_normalizer-2.0.12-py3-none-any.whl (39  
kB)  
Collecting importlib-metadata  
  Downloading  
  https://pypi.doubanio.com/packages/92/f2/c48787ca7d1e20daa185e1b6b2d4e16a  
cd2fb5e0320bc50ffc89b91fa4d7/importlib\_metadata-4.11.3-py3-none-any.whl (18  
kB)  
Collecting pycurl  
  Downloading  
  https://pypi.doubanio.com/packages/09/ca/0b6da1d0f391acb8991ac6fdf8823ed9c  
f4c19680d4f378ab1727f90bd5c/pycurl-7.45.1.tar.gz (233 kB)  
----- 233.9/233.9 KB 1.4 MB/s eta

0:00:00  
Preparing metadata (setup.py) ... done  
Collecting wrapt<2,>=1.10  
  Downloading  
  https://pypi.doubanio.com/packages/00/11/e69d554d32900f42fc7d3ebb5d3132b1  
  756d29f8a1f85ebf1de720d890da/wrapt-1.14.0-cp37-cp37m-manylinux\_2\_5\_x86\_64  
.manylinux1\_x86\_64.manylinux\_2\_17\_x86\_64.manylinux2014\_x86\_64.whl (75 kB)  
  ██  
  75.2/75.2 KB 6.7 MB/s eta

0:00:00  
Collecting typing-extensions>=3.6.4  
  Downloading  
  https://pypi.doubanio.com/packages/45/6b/44f7f8f1e110027cf88956b59f2fad776c  
ca7e1704396d043f89effd3a0e/typing\_extensions-4.1.1-py3-none-any.whl (26 kB)  
Collecting zipp>=0.5  
  Downloading  
  https://pypi.doubanio.com/packages/80/0e/16a7ee38617aab6a624e95948d314097  
cc2669edae9b02ded53309941cfc/zipp-3.8.0-py3-none-any.whl (5.4 kB)  
Building wheels for collected packages: aliyun-python-sdk-core,  
aliyun-python-sdk-core-v3, configobj, crcmod, dicttoxml, future, IPy, kitchen,  
mongo, oss2, peewee, pycparser, pyinotify, pyPdf, pyudev, pyxattr, qiniu, qrcode,  
upyun, urlgrabber, pycurl  
  Building wheel for aliyun-python-sdk-core (setup.py) ... done  
  Created wheel for aliyun-python-sdk-core:  
filename=aliyun\_python\_sdk\_core-2.13.35-py3-none-any.whl size=533199  
sha256=fe9db440b7b1ac3d7190f838e9d537e9bdff0f4d669cb5782ee1f6f6199c4fd  
b  
  Stored in directory:  
/root/.cache/pip/wheels/ed/15/e4/f706f0e3e009d68e58eb987bd3653b027e74bc07  
883d688059  
  Building wheel for aliyun-python-sdk-core-v3 (setup.py) ... done  
  Created wheel for aliyun-python-sdk-core-v3:  
filename=aliyun\_python\_sdk\_core\_v3-2.13.32-py3-none-any.whl size=532978  
sha256=b660017861c0524687920dca32f3cb34cc366da031924705f314220a27a31b  
59  
  Stored in directory:  
/root/.cache/pip/wheels/1f/fb/a2/7568bc1b127339dc1c6185797a5dc0972528cb97f  
a1581106e  
  Building wheel for configobj (setup.py) ... done  
  Created wheel for configobj: filename=configobj-5.0.6-py3-none-any.whl  
size=34546  
sha256=3884fd3f0680a2b2728182c33ab59c5aec7b0948a8e15206af9597f69c6f9b2  
5  
  Stored in directory:  
/root/.cache/pip/wheels/25/1b/97/5cbe7e32381b87ec74885a113d71c78ce159b22

76c234d50e4

Building wheel for crcmod (setup.py) ... done

Created wheel for crcmod: filename=crcmod-1.7-cp37-cp37m-linux\_x86\_64.whl  
size=30845

sha256=7eda9ba7b33f05abcb3a125527459050e4b3c21b0db51bb8bf326cf580e198  
72

Stored in directory:

/root/.cache/pip/wheels/39/40/b9/46db3ed8e06d5f1bb6f49a785bb0ebd2ddb376c  
9fc0586cf1c

Building wheel for dicttoxml (setup.py) ... done

Created wheel for dicttoxml: filename=dicttoxml-1.7.4-py3-none-any.whl  
size=17464

sha256=18f7f98c3095c30e0736d797711c91882b687c681d37b3e825c3002d02758d  
8b

Stored in directory:

/root/.cache/pip/wheels/69/91/d2/534a250b43af22164fea7d04392450f26e33f70b0  
65bbf63a0

Building wheel for future (setup.py) ... done

Created wheel for future: filename=future-0.18.2-py3-none-any.whl size=491070  
sha256=cce7eb30316b4b749fa1905190c7268c8ef59cd44d5db60a513b51756acba7  
d5

Stored in directory:

/root/.cache/pip/wheels/97/83/dc/8e47b8e3874918101250790fbce5d89fef8d0c33  
eb8097ad07

Building wheel for IPy (setup.py) ... done

Created wheel for IPy: filename=IPy-1.0-py3-none-any.whl size=21155  
sha256=ed7be81ad38ad71c4796db3b54f75f4776d9f84451368d60c721b91abd433  
9a1

Stored in directory:

/root/.cache/pip/wheels/b2/f6/0c/79dd886eb30ae6db3431f3ba9b22f88e3db393b1  
3ae784fbf8

Building wheel for kitchen (setup.py) ... done

Created wheel for kitchen: filename=kitchen-1.2.6-py3-none-any.whl size=72438  
sha256=0c7de0f78cd1d63a9a22ddaa16a77e0004921dd86449beeac0c152cf7d5c39  
d4

Stored in directory:

/root/.cache/pip/wheels/7c/ea/55/dd7ed59b3442878977ad908c3ea32127744be2a  
1695a5e9225

Building wheel for mongo (setup.py) ... done

Created wheel for mongo: filename=mongo-0.2.0-py3-none-any.whl size=4951  
sha256=f674273c1772720b015342db6905e07809ed341f40aec0b758fe8545da57c9  
2d

Stored in directory:

/root/.cache/pip/wheels/56/f8/f6/b921b2a6b725473a142e1ac2061963d9e0826310

dd5c223f4b

Building wheel for oss2 (setup.py) ... done

Created wheel for oss2: filename=oss2-2.15.0-py3-none-any.whl size=103450  
sha256=40ab992ed9afeba3c2701414261d8066fff8beca2b94cd4ac55bbad033e258  
57

Stored in directory:

/root/.cache/pip/wheels/ea/21/9c/363a79b3dc76544e3260fb178fca01c825d1b2  
3db6a3a8a7

Building wheel for peewee (setup.py) ... done

Created wheel for peewee:

filename=peewee-3.13.1-cp37-cp37m-linux\_x86\_64.whl size=760206  
sha256=3b98e8d5e81c8748fdb7c13d1d1c0029b0d1abdc734e25aaba7c750fec4545  
7e

Stored in directory:

/root/.cache/pip/wheels/45/0b/a9/dcbf40104bc83f438c7bd1d623266076ce0e4962  
0c9a7f0ed8

Building wheel for pycparser (setup.py) ... done

Created wheel for pycparser: filename=pycparser-2.19-py2.py3-none-any.whl  
size=111052

sha256=3d830af9b8b83377278922f0fd2304787c5827a88ce473e38b59759def83c3  
64

Stored in directory:

/root/.cache/pip/wheels/06/01/44/7dac5d75c36ee1a8747d1252842f74437d76f9f7  
2de2d6c08a

Building wheel for pyinotify (setup.py) ... done

Created wheel for pyinotify: filename=pyinotify-0.9.6-py3-none-any.whl  
size=25351

sha256=ee1b6646df4d71949d8919393e6283a82e11a84e8cf19566ee87c5fa89c05b  
da

Stored in directory:

/root/.cache/pip/wheels/54/92/9a/e7e480fdcc69b9b6cd83f3b4a0cf7f03c95ca0072  
071babf17

Building wheel for pyPdf (setup.py) ... done

Created wheel for pyPdf: filename=pyPdf-1.13-py3-none-any.whl size=36497  
sha256=789eff8ce326eff3382fb024a770a8bd499488c688c71f36973720ddf0349969

Stored in directory:

/root/.cache/pip/wheels/23/4d/c4/c86a07f536774d01f243f0b46062d124fc5967764  
37b756326

Building wheel for pyudev (setup.py) ... done

Created wheel for pyudev: filename=pyudev-0.22.0-py3-none-any.whl size=63485  
sha256=9bfb6cb01f5a149ea5aa7d2d4c6860a0fabf02259f6f2645111a6298c07e0c62

Stored in directory:

/root/.cache/pip/wheels/15/72/0e/d4deabbe5038b6a533af1568b08ea849ee1fa8fd  
d901b3fd96

Building wheel for pyxattr (setup.py) ... done  
Created wheel for pyxattr: filename=pyxattr-0.7.1-cp37-cp37m-linux\_x86\_64.whl  
size=47468  
sha256=658de019d61aa72daa4872aa539d7062fd41406f8bbb7caaf5dd0dc2156f1c  
47  
Stored in directory:  
/root/.cache/pip/wheels/04/78/4b/6b487f3085e9247de02c242d15df450e760c719e  
edf0b48c07  
Building wheel for qiniu (setup.py) ... done  
Created wheel for qiniu: filename=qiniu-7.5.0-py3-none-any.whl size=35989  
sha256=e3cbd85b96619eb16932cb22f907e0e42f4a863e391ed9dc0efe7970f977d6  
ed  
Stored in directory:  
/root/.cache/pip/wheels/12/f9/4b/0600c2a4932a12d138ecf8dcf37ba7a43806a4f8b  
99ef0c449  
Building wheel for qrcode (setup.py) ... done  
Created wheel for qrcode: filename=qrcode-7.3.1-py3-none-any.whl size=40401  
sha256=ae729ef70aa095b61f5b69fabec01eafe6f071906ca63818e35524dc5e67e2d  
2  
Stored in directory:  
/root/.cache/pip/wheels/8a/b9/a6/467a36e3512113b531e9f6d74a62d7f53fe12f705  
b07401ef2  
Building wheel for upyun (setup.py) ... done  
Created wheel for upyun: filename=upyun-2.5.5-py3-none-any.whl size=17531  
sha256=4db331abc318f470d4d8bac4691c7d6dff1311da9bc91e4232b44caf2320b8  
61  
Stored in directory:  
/root/.cache/pip/wheels/d2/b5/c6/400e4324648c10e7bfacf3e8ca1cc265e75e9d407  
bb370a945  
Building wheel for urlgrabber (setup.py) ... done  
Created wheel for urlgrabber: filename=urlgrabber-4.1.0-py3-none-any.whl  
size=81021  
sha256=a89d31b1856a3f7c12a61e3f5df09fe34ef8c743775cb596d497fd71b5a7ebc  
7  
Stored in directory:  
/root/.cache/pip/wheels/77/a8/4e/3bdee288a7e5f5195e98e3a3112b5bee31434f0c  
a0b9dd5d22  
Building wheel for pycurl (setup.py) ... done  
Created wheel for pycurl: filename=pycurl-7.45.1-cp37-cp37m-linux\_x86\_64.whl  
size=305892  
sha256=ee159bd20f7e38c0d972207cc73ad57e5265e5158a2950e1685f6dcc2b6cb3  
d4  
Stored in directory:  
/root/.cache/pip/wheels/aa/1e/fc/297cbf3845384412fa59bd080183c1ece8da3b34c

cd3938569

Successfully built aliyun-python-sdk-core aliyun-python-sdk-core-v3 configobj  
crcmod dicttoxml future IPy kitchen mongo oss2 peewee pycparser pyinotify pyPdf  
pyudev pyxattr qiniu qrcode upyun urlgrabber pycurl

Installing collected packages: supervisor, soupsieve, pytz, pyPdf, pyinotify, pyasn1,  
peewee, kitchen, jmespath, IPy, ipaddress, enum34, dicttoxml, crcmod, chardet,  
certifi, zope.interface, zope.event, zipp, wrapt, Werkzeug, websocket-client, urllib3,  
uritemplate, typing-extensions, six, rsa, qrcode, PyYAML, pyxattr, PySocks,  
pyparsing, PyMySQL, pymongo, Pygments, pycurl, pycryptodome, pycparser,  
pyasn1-modules, psutil, protobuf, Pillow, oauthlib, MarkupSafe, itsdangerous, idna,  
greenlet, google-crc32c, future, dnspython, decorator, Cython, configparser, Click,  
charset-normalizer, cachetools, cachelib, beautifulsoup4, urlgrabber, requests,  
pyudev, mongo, Jinja2, iniparse, importlib-metadata, httpplib2,  
googleapis-common-protos, google-resumable-media, google-auth, gevent,  
deprecated, configobj, cffi, upyun, SQLAlchemy, requests-oauthlib, requests-file,  
redis, qiniu, PyNaCl, google-auth-httpplib2, google-api-core, gevent-websocket,  
Flask, docker, cryptography, cos-python-sdk-v5, bcrypt, pyOpenSSL, paramiko,  
google-cloud-core, google-auth-oauthlib, google-api-python-client,  
Flask-SQLAlchemy, Flask-Session, aliyun-python-sdk-core-v3,  
aliyun-python-sdk-core, google-cloud-storage, aliyun-python-sdk-kms, oss2

Successfully installed Click-7.1.2 Cython-0.29.26 Flask-1.1.4 Flask-SQLAlchemy-2.5.1  
Flask-Session-0.4.0 IPy-1.0 Jinja2-2.11.3 MarkupSafe-1.1.1 Pillow-8.4.0

PyMySQL-1.0.2 PyNaCl-1.4.0 PySocks-1.7.1 PyYAML-5.4 Pygments-2.7.4  
SQLAlchemy-1.4.28 Werkzeug-1.0.1 aliyun-python-sdk-core-2.13.35  
aliyun-python-sdk-core-v3-2.13.32 aliyun-python-sdk-kms-2.15.0 bcrypt-3.1.7  
beautifulsoup4-4.8.2 cachelib-0.6.0 cachetools-4.0.0 certifi-2019.11.28 cffi-1.15.0  
chardet-3.0.4 charset-normalizer-2.0.12 configobj-5.0.6 configparser-4.0.2  
cos-python-sdk-v5-1.9.14 crcmod-1.7 cryptography-36.0.1 decorator-4.4.1  
deprecated-1.2.13 dicttoxml-1.7.4 dnspython-1.16.0 docker-4.2.0 enum34-1.1.9  
future-0.18.2 gevent-21.12.0 gevent-websocket-0.10.1 google-api-core-2.3.2  
google-api-python-client-2.33.0 google-auth-2.3.3 google-auth-httpplib2-0.1.0  
google-auth-oauthlib-0.4.6 google-cloud-core-2.2.1 google-cloud-storage-1.43.0  
google-crc32c-1.3.0 google-resumable-media-2.1.0  
googleapis-common-protos-1.54.0 greenlet-1.1.2 httpplib2-0.20.2 idna-2.8  
importlib-metadata-4.11.3 iniparse-0.5 ipaddress-1.0.23 itsdangerous-1.1.0  
jmespath-0.9.4 kitchen-1.2.6 mongo-0.2.0 oauthlib-3.1.1 oss2-2.15.0  
paramiko-2.8.1 peewee-3.13.1 protobuf-3.19.1 psutil-5.8.0 pyOpenSSL-21.0.0  
pyPdf-1.13 pyasn1-0.4.8 pyasn1-modules-0.2.8 pycparser-2.19  
pycryptodome-3.12.0 pycurl-7.45.1 pyinotify-0.9.6 pymongo-3.10.1 pyparsing-2.4.6  
pytz-2019.3 pyudev-0.22.0 pyxattr-0.7.1 qiniu-7.5.0 qrcode-7.3.1 redis-4.0.2  
requests-2.26.0 requests-file-1.5.1 requests-oauthlib-1.3.0 rsa-4.8 six-1.16.0  
soupsieve-1.9.5 supervisor-4.2.2 typing-extensions-4.1.1 upyun-2.5.5  
uritemplate-3.0.1 urlgrabber-4.1.0 urllib3-1.26.7 websocket-client-1.2.3  
wrapt-1.14.0 zipp-3.8.0 zope.event-4.5.0 zope.interface-5.4.0

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

/etc/init.d/bt: No such file or directory

--2022-04-05 20:55:37-- http://128.1.164.196/install/public.sh

Connecting to 128.1.164.196:80... connected.

HTTP request sent, awaiting response... 200 OK

Length: 4267 (4.2K) [application/octet-stream]

Saving to: '/www/server/panel/install/public.sh'

/www/server/panel/install/public.sh

100%[=====>] 4.17K --.-KB/s in 0s

2022-04-05 20:55:38 (130 MB/s) - '/www/server/panel/install/public.sh' saved [4267/4267]

--2022-04-05 20:55:38-- http://128.1.164.196/install/src/panel6.zip

Connecting to 128.1.164.196:80... connected.

HTTP request sent, awaiting response... 200 OK

Length: 11956351 (11M) [application/zip]

Saving to: 'panel.zip'

panel.zip

100%[=====>] 11.40M 304KB/s in 26s

2022-04-05 20:56:04 (448 KB/s) - 'panel.zip' saved [11956351/11956351]

chmod: cannot access '/etc/init.d/bt': No such file or directory

/etc/init.d/bt: No such file or directory

--2022-04-05 20:56:05-- http://128.1.164.196/install/src/bt7.init

Connecting to 128.1.164.196:80... connected.

HTTP request sent, awaiting response... 200 OK

Length: 10438 (10K) [application/octet-stream]

Saving to: '/www/server/panel/init.sh'

/www/server/panel/init.sh

100%[=====>] 10.19K 11.5KB/s in 0.9s

2022-04-05 20:56:06 (11.5 KB/s) - '/www/server/panel/init.sh' saved [10438/10438]

```
--2022-04-05 20:56:06-- http://128.1.164.196/install/conf/softList.conf
Connecting to 128.1.164.196:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3287 (3.2K) [application/octet-stream]
Saving to: '/www/server/panel/data/softList.conf'

/www/server/panel/data/softList.conf
100%[=====] 3.21K --.-KB/s in 0s

2022-04-05 20:56:07 (196 MB/s) - '/www/server/panel/data/softList.conf' saved [3287/3287]

Looking in indexes: https://pypi.doubanio.com/simple
Requirement already satisfied: flask in
/www/server/panel/pyenv/lib/python3.7/site-packages (1.1.4)
Collecting flask
    Downloading
https://pypi.doubanio.com/packages/60/47/3b160a97474858486c6b6259d4cf6c0e
b30e86b72014e0fe8c8ea7a22937/Flask-2.1.1-py3-none-any.whl (95 kB)
    ━━━━━━━━━━━━━━━━ 95.2/95.2 KB 1.9 MB/s eta
0:00:00
Collecting Werkzeug>=2.0
    Downloading
https://pypi.doubanio.com/packages/13/3c/07aab80ab09ea9a7dc1a312225124d8c
fa4dcfb0cdc68e61f60819beb36c/Werkzeug-2.1.1-py3-none-any.whl (224 kB)
    ━━━━━━━━━━━━━━━━ 224.7/224.7 KB 3.6 MB/s eta
0:00:00
Collecting itsdangerous>=2.0
    Downloading
https://pypi.doubanio.com/packages/68/5f/447e04e828f47465eeab35b5d408b7eb
aaaee207f48b7136c5a7267a30ae/itsdangerous-2.1.2-py3-none-any.whl (15 kB)
Requirement already satisfied: importlib-metadata>=3.6.0 in
/www/server/panel/pyenv/lib/python3.7/site-packages (from flask) (4.11.3)
Collecting Jinja2>=3.0
    Downloading
https://pypi.doubanio.com/packages/76/02/af4045156cde8feefea30cb1c051e1032
1d4960c418bd52346a497feb302/Jinja2-3.1.1-py3-none-any.whl (132 kB)
    ━━━━━━━━━━━━━━ 132.6/132.6 KB 6.4 MB/s eta
0:00:00
Collecting click>=8.0
    Downloading
https://pypi.doubanio.com/packages/a0/66/c8196ad693d62384d8e800e5bd27434
a64c0057fe169b61c69a73f1614a8(click-8.1.2-py3-none-any.whl (96 kB)
```

---

96.6/96.6 KB 5.2 MB/s eta

0:00:00

Requirement already satisfied: typing-extensions>=3.6.4 in  
/www/server/panel/pyenv/lib/python3.7/site-packages (from  
importlib-metadata>=3.6.0->flask) (4.1.1)

Requirement already satisfied: zipp>=0.5 in  
/www/server/panel/pyenv/lib/python3.7/site-packages (from  
importlib-metadata>=3.6.0->flask) (3.8.0)

Collecting MarkupSafe>=2.0

  Downloading

  https://pypi.doubanio.com/packages/9f/83/b221ce5a0224f409b9f02b0dc6cb0b921  
  c46033f4870d64fa3e8a96af701/MarkupSafe-2.1.1-cp37-cp37m-manylinux\_2\_17\_x8  
  6\_64.manylinux2014\_x86\_64.whl (25 kB)

Installing collected packages: Werkzeug, MarkupSafe, itsdangerous, Jinja2, click,  
flask

Attempting uninstall: Werkzeug

  Found existing installation: Werkzeug 1.0.1

  Uninstalling Werkzeug-1.0.1:

    Successfully uninstalled Werkzeug-1.0.1

Attempting uninstall: MarkupSafe

  Found existing installation: MarkupSafe 1.1.1

  Uninstalling MarkupSafe-1.1.1:

    Successfully uninstalled MarkupSafe-1.1.1

Attempting uninstall: itsdangerous

  Found existing installation: itsdangerous 1.1.0

  Uninstalling itsdangerous-1.1.0:

    Successfully uninstalled itsdangerous-1.1.0

Attempting uninstall: Jinja2

  Found existing installation: Jinja2 2.11.3

  Uninstalling Jinja2-2.11.3:

    Successfully uninstalled Jinja2-2.11.3

Attempting uninstall: click

  Found existing installation: click 7.1.2

  Uninstalling click-7.1.2:

    Successfully uninstalled click-7.1.2

Attempting uninstall: flask

  Found existing installation: Flask 1.1.4

  Uninstalling Flask-1.1.4:

    Successfully uninstalled Flask-1.1.4

Successfully installed Jinja2-3.1.1 MarkupSafe-2.1.1 Werkzeug-2.1.1 click-8.1.2  
flask-2.1.1 itsdangerous-2.1.2

WARNING: Running pip as the 'root' user can result in broken permissions and  
conflicting behaviour with the system package manager. It is recommended to use  
a virtual environment instead: <https://pip.pypa.io/warnings/venv>

Looking in indexes: https://pypi.doubanio.com/simple

Collecting flask-sock

  Downloading https://pypi.doubanio.com/packages/3c/e8/cd38da6c66432ba6d2544f40cdf90189af4b1d8460ce428af032e7eabc31/flask\_sock-0.5.2-py3-none-any.whl (3.8 kB)

Requirement already satisfied: flask>=2 in /www/server/panel/pyenv/lib/python3.7/site-packages (from flask-sock) (2.1.1)

Collecting simple-websocket>=0.5.1

  Downloading https://pypi.doubanio.com/packages/f5/95/c4fc0e10b70621dae820026c9835b3accade7c05efd6937b21a2f2336004/simple\_websocket-0.5.1-py3-none-any.whl (6.5 kB)

Requirement already satisfied: importlib-metadata>=3.6.0 in /www/server/panel/pyenv/lib/python3.7/site-packages (from flask>=2->flask-sock) (4.11.3)

Requirement already satisfied: itsdangerous>=2.0 in /www/server/panel/pyenv/lib/python3.7/site-packages (from flask>=2->flask-sock) (2.1.2)

Requirement already satisfied: Werkzeug>=2.0 in /www/server/panel/pyenv/lib/python3.7/site-packages (from flask>=2->flask-sock) (2.1.1)

Requirement already satisfied: Jinja2>=3.0 in /www/server/panel/pyenv/lib/python3.7/site-packages (from flask>=2->flask-sock) (3.1.1)

Requirement already satisfied: click>=8.0 in /www/server/panel/pyenv/lib/python3.7/site-packages (from flask>=2->flask-sock) (8.1.2)

Collecting wsproto

  Downloading https://pypi.doubanio.com/packages/4b/6e/5f8c3e8418966f50d028e336f0c2c568f8522577183678923609d4d24924/wsproto-1.1.0-py3-none-any.whl (24 kB)

Requirement already satisfied: zipp>=0.5 in /www/server/panel/pyenv/lib/python3.7/site-packages (from importlib-metadata>=3.6.0->flask>=2->flask-sock) (3.8.0)

Requirement already satisfied: typing-extensions>=3.6.4 in /www/server/panel/pyenv/lib/python3.7/site-packages (from importlib-metadata>=3.6.0->flask>=2->flask-sock) (4.1.1)

Requirement already satisfied: MarkupSafe>=2.0 in /www/server/panel/pyenv/lib/python3.7/site-packages (from Jinja2>=3.0->flask>=2->flask-sock) (2.1.1)

Collecting h11<1,>=0.9.0

  Downloading https://pypi.doubanio.com/packages/19/d2/32a15a4955be1b8114a1c570999eefd31279c7f9aa2d2a43d492a79b53c5/h11-0.13.0-py3-none-any.whl (58 kB)

0:00:00

Installing collected packages: h11, wsproto, simple-websocket, flask-sock

Successfully installed flask-sock-0.5.2 h11-0.13.0 simple-websocket-0.5.1

wsproto-1.1.0

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

install.sh: line 613: /etc/init.d/bt: No such file or directory

username: t2b5z4ft

install.sh: line 621: /etc/init.d/bt: No such file or directory

install.sh: line 626: /etc/init.d/bt: No such file or directory

lrwxrwxrwx. 1 root root 37 Apr 5 20:52 python ->

/www/server/panel/pyenv/bin/python3.7

-rwx-----. 2 root root 11479576 Apr 5 20:51 python3.7

----- python3.7

lsattr: Operation not supported While reading flags on python

=====

ERROR: The BT-Panel service startup failed.

ERROR: 宝塔启动失败

CentOS Stream release 9

Bit:64 Mem:15710M Core:8

Linux localhost.localdomain 5.14.0-75.el9.x86\_64 #1 SMP PREEMPT Sat Mar 26

08:10:05 UTC 2022 x86\_64 x86\_64 x86\_64 GNU/Linux

请截图以上报错信息发帖至论坛[www.bt.cn/bbs](http://www.bt.cn/bbs)求助

[root@localhost ~]#